L Numbe			DB	Time stamp
-	0	1 (1000000.pii. 000404 i.pii. 070 (003.pii. 3664 [7] ph	USPAT;	2003/05/03 15:59
		5020019.pn.) and "table difinition"	US-PGPUB;	2000/00/00 10.09
			EPO; JPO;	
			DERWENT	
-	0	1 (333333,pii. 3334071,pii. 3701033,pii. 3664171 nh	USPAT;	2003/05/02 20:19
		5020019.pn.) and table and difinition	US-PGPUB:	2003/03/02 20.19
			EPO; JPO;	
			DERWENT	
	0	1 (333333,pi), 300404 (.pi), 370 (033,pi), 3004 (/1 ph	USPAT;	2002/05/02 20:40
		5020019.pn.) and difinition\$2	US-PGPUB:	2003/05/02 20:19
			EPO; JPO;	į
	5	(5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	DERWENT	
		5020019.pn.) and table	USPAT;	2003/05/02 20:20
			US-PGPUB;	
			EPO; JPO;	
	0	(5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	DERWENT	
		5020019 pp.) and (identification or ID) and (i	USPAT;	2003/05/02 20:21
		5020019.pn.) and (identification or ID) and (keyword or "key word") and value\$1	US-PGPUB;	
		word) and values)	EPO; JPO;	
	10	5900096 nn 5064044 nn 5704050	DERWENT	
	10	5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	USPAT;	2003/05/02 20:22
		5020019.pn.	US-PGPUB;	
			EPO; JPO;	
		W	DERWENT	
	0	"table definition" NEAR10 (identification\$1 OR ID\$1) SAME	USPAT:	2003/05/03 16:04
		(keyword\$1 OR "key word") same ("keyword value" OR "key	US-PGPUB:	2000,00,00 10.04
		word" NEAR2 value!) and @ad<20010412	EPO; JPO;	
			DERWENT	
	0	"table definition" NEAR10 (identification\$1 OR ID\$1) AND	USPAT;	2003/05/03 16:42
		(keyword\$1 OR "key word") AND ("keyword value" OR "key	US-PGPUB;	2003/03/03 10.42
		word" NEAR2 value!) and @ad<20010412	EPO; JPO;	
	İ		DERWENT	
	0	"table definition" NEAR10 (identification\$1 OR ID\$1) AND	USPAT;	2003/05/03 16:07
		"composit key" and cardility! and @ad<20010412	US-PGPUB:	2003/03/03 16:07
		, 622 20010112	EPO; JPO;	
			DERWENT	
	776	"table definition" and @ad<20010412	USPAT;	2002/05/04 40:05
			US-PGPUB;	2003/05/04 19:05
			EPO; JPO;	
	6	("table definition" and @ad<20010412) and "composite key"	DERWENT	0000/05/00
		t and wat 200 10412) and composite key	USPAT;	2003/05/03 16:09
			US-PGPUB;	
			EPO; JPO;	
	10	/"5063501" L "5321610" L "5220424" L "5252404" L "5220427" L	DERWENT	
	"	("5063501" "5321610" "5339424" "5353401" "5369778" "5392390" "5396613" "5404294" "5404488"	USPAT	2003/05/03 16:23
		"5414809").PN.		
	2			
	9	("5721827" "5813007").PN.	USPAT	2003/05/03 16:25
	9	("4379948" "4530076" "4817158" "4829427" "5018088" "5091967" "5105469" "5345585" "5379419").PN.	USPAT	2003/05/03 16:35
		309190/~1~5105469~1~5345585"1"5379419"\ PN		
		155005501 7.1 14.		
1		"5598559".PN.	USPAT	2003/05/03 16:39
İ		"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568"	USPAT USPAT	2003/05/03 16:39 2003/05/03 16:39
	9	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN.		2003/05/03 16:39 2003/05/03 16:39
	3970	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND	USPAT	2003/05/03 16:39
	3970	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key	USPAT USPAT;	
	3970	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key	USPAT USPAT; US-PGPUB;	2003/05/03 16:39
	3970	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND	USPAT; USPAT; US-PGPUB; EPO; JPO;	2003/05/03 16:39
	3970	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<20010412	USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/03 16:39 2003/05/03 16:45
	9 3970 80	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<20010412 "table definition" and (identification\$1 OR ID\$1) AND	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	2003/05/03 16:39
	9 3970 80	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<20010412 "table definition" and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/05/03 16:39 2003/05/03 16:45
	9 3970 80	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<20010412 "table definition" and (identification\$1 OR ID\$1) AND	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/03 16:39 2003/05/03 16:45
	9 3970 80	"5598559".PN. ("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN. "table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<20010412 "table definition" and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/05/03 16:39 2003/05/03 16:45

-	16		USPAT	2003/05/03 17:01
		"5680563" "5724575" "5752018" "5765159" "5809297" "5815710" "5832498" "5907846" "5926819" "5937409" "5995973") PN		
-	8	("4905162" "5057996" "5117351" "5129083" "5509123" "5511197" "5522077" "5619638").PN.	USPAT	2003/05/03 17:22
-	255	"table definition" and architectur\$3 and @ad<20010412	USPAT; US-PGPUB;	2003/05/03 17:41
			EPO; JPO; DERWENT	
-	3	"table definition" and architectur\$3 and "composite key" and @ad<20010412	USPAT; US-PGPUB; EPO; JPO;	2003/05/03 17:56
-	0	receiv\$3 NEAR5 table SAME (identification ADJ2 field or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<20010412	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/03 18:02
-	86	receiv\$3 NEAR10 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR10 value\$2) AND @ad<20010412	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/03 18:15
-	7	(receiv\$3 NEAR10 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR10 value\$2) AND @ad<20010412) and "first keyword"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/03 18:13
-	1	(receiv\$3 NEAR2 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR2 value\$2) AND @ad<20010412) and "first keyword"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/03 18:13
-	6	receiv\$3 NEAR2 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR2 value\$2) AND @ad<20010412	USPAT; US-PGPUB; EPO; JPO;	2003/05/03 18:13
-	1	receiv\$3 NEAR10 table AND (identification or ID) WITH "multiple value" AND @ad<20010412	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/03 18:17
-	1	receiv\$3 NEAR2 table AND (identification or ID) WITH "multiple value" AND @ad<20010412	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/05/03 18:17
	11	("5204958" "5440732" "5551027" "5899988" "5960194" "5991771" "6014656" "6026406" "6092061" "6249784" "6278992").PN.	DERWENT USPAT	2003/05/03 18:21
-		"table definition" same field\$2 same value\$2 and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/04 19:15
		"table definition" same field\$2 and "first values" and "second value" and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/04 19:10
		("6055538" "6144961" "6252858").PN.	USPAT	2003/05/04 19:19
	10	6446074.URPN. ("5133068" "5745896" "5752018" "5758144" "5873079" "5889934" "5960430" "6026410" "6032132" "6128294").PN.	USPAT USPAT	2003/05/04 19:21 2003/05/04 19:23
	7	("5499359" "5553218" "5561793" "5566330" "5603025" "5615367" "5619688").PN.	USPAT	2003/05/04 19:33
	0	"table definition" SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 14:55

L Number	Hits 0		DB	Time stamp
-	"	(USPAT;	2003/05/03 15:59
		5020019.pn.) and "table difinition"	US-PGPUB;	İ
			EPO; JPO;	
_		(F000000 F004044 F704050 F	DERWENT	
-	0	1 (****,***,***,***,***,***,***,***,***,*	USPAT;	2003/05/02 20:19
		5020019.pn.) and table and difinition	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	USPAT;	2003/05/02 20:19
	}	5020019.pn.) and difinition\$2	US-PGPUB	
			EPO; JPO;	
	ł		DERWENT	
-	5	(5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	USPAT;	2003/05/02 20:20
		5020019.pn.) and table	US-PGPUB:	2000/00/02 20.20
			EPO; JPO;	
			DERWENT	
-	0	(5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.		2002/05/00 00 0
		5020019.pn.) and (identification or ID) and (keyword or "key	USPAT;	2003/05/02 20:21
		word") and value\$1	US-PGPUB;	
		Word / and values 1	EPO; JPO;	
_	10	5800086 nn	DERWENT	
	10	5899986.pn. 5864841.pn. 5761653.pn. 5664171.pn.	USPAT;	2003/05/02 20:22
		5020019.pn.	US-PGPUB;	
		·	EPO; JPO;	
	_		DERWENT	
-	0	"table definition" NEAR10 (identification\$1 OR ID\$1) SAME	USPAT;	2003/05/03 16:04
		(keyword\$1 OR "key word") same ("keyword value" OR "key	US-PGPUB;	2000/00/00 10:04
		word" NEAR2 value!) and @ad<20010412	EPO; JPO;	
			DERWENT	
	0	"table definition" NEAR10 (identification\$1 OR ID\$1) AND	USPAT;	2002/05/02 46:40
	ļ	(keyword\$1 OR "key word") AND ("keyword value" OR "key		2003/05/03 16:42
	İ	word" NEAR2 value!) and @ad<20010412	US-PGPUB	1
		77514 1727 172 Value:) and @ad \200 104 12	EPO; JPO;	
	o	"table definition" NEAD10 /identification of OD IDeas AND	DERWENT	
İ	١	"table definition" NEAR10 (identification\$1 OR ID\$1) AND	USPAT;	2003/05/03 16:07
ŀ		"composit key" and cardility! and @ad<20010412	US-PGPUB;	
			EPO; JPO;	
	770	W. I. I. C. W. W. A. S. S. S. S. S. S. S. S. S. S. S. S. S.	DERWENT	
Í	776	"table definition" and @ad<20010412	USPAT;	2003/05/04 19:05
1			US-PGPUB	
l			EPO; JPO;	
}			DERWENT	
	6	("table definition" and @ad<20010412) and "composite key"	USPAT;	2003/05/03 16:09
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2000/00/00 10:09
ł			EPO; JPO;	
		,	DERWENT	
1	10	("5063501" "5321610" "5339424" "5353401" "5369778"		0000/05/00 40 00
]		"5392390" "5396613" "5404294" "5404488"	USPAT	2003/05/03 16:23
		"5414809").PN.		
	2	("5721827" "5813007").PN.	1	
1	9	(3721027 3013007).PN.	USPAT	2003/05/03 16:25
İ	9	("4379948" "4530076" "4817158" "4829427" "5018088"	USPAT	2003/05/03 16:35
		"5091967" "5105469" "5345585" "5379419").PN.		
	1	"5598559".PN	USPAT	2003/05/03 16:39
	9	("4769772" "5325525" "5345585" "5367675" "5469568"	USPAT	2003/05/03 16:39
		"5544355" "5598559" "5608904" "5615361"),PN		
	3970	"table definition"and (identification\$1 OR ID\$1) AND	USPAT;	2003/05/03 16:45
	i	(keyword\$1 OR "key word") AND ("keyword value" OR "key	US-PGPUB;	2003/03/03 10.43
	1	word" NEAR2 value! OR value\$2) and @ad<20010412	1	
ļ		12.20. 511 Falacoz) alla (wau 1200 104 12	EPO; JPO;	
	80	"table definition" and (identification\$1 OR ID\$1) AND	DERWENT	0000167:55
	55	(keyword\$1 OR "key word") AND	USPAT;	2003/05/03 17:40
]	(keyword\$1 OR "key word") AND ("keyword value" OR "key	US-PGPUB;	
		word" NEAR2 value! OR value\$2) and @ad<20010412	EPO; JPO;	
		/!!4000000!!	DERWENT	
	9	("4330822" "4769772" "4829427" "5091852" "5257366" "5276870" "5301317" "5367675" "5379419").PN.	USPAT	2003/05/03 16:55
		95 0 70 0 70 U U U CO 4 0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		

				
-	16	"5680563" "5724575" "5752018" "5765159" "5809297"	USPAT	2003/05/03 17:01
	i	"5815710" "5832498" "5907846" "5926819" "5937409" "5995973").PN.		
	8	("4905162" "5057996" "5117351" "5129083" "5509123" "5511197" "5522077" "5619638").PN.	USPAT	2003/05/03 17:22
-	255	"table definition" and architectur\$3 and @ad<20010412	USPAT;	2003/05/03 17:41
			US-PGPUB; EPO; JPO;	İ
		Walter of Figure 1	DERWENT	
-	3	"table definition" and architectur\$3 and "composite key" and @ad<20010412	USPAT; US-PGPUB;	2003/05/03 17:56
			EPO; JPO;	
_	0	receiv\$3 NEAR5 table SAME (identification ADJ2 field or ID)	DERWENT	2000/05/00 10 00
		SAME (("key word" OR keyword) NEAR5 value\$2) and	USPAT; US-PGPUB;	2003/05/03 18:02
		@ad<20010412	EPO; JPO;	
-	86	receiv\$3 NEAR10 table AND (identification ADJ2 field or ID)	DERWENT USPAT;	2003/05/03 18:15
<u> </u>		AND (("key word" OR keyword) NEAR10 value\$2) AND @ad<20010412	US-PGPUB;	7555.55.75.75
			EPO; JPO; DERWENT	
-	7	(receiv\$3 NEAR10 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR10 value\$2) AND	USPAT;	2003/05/03 18:13
		@ad<20010412) and "first keyword"	US-PGPUB; EPO; JPO;	
_	1	·	DERWENT	
	'	(receiv\$3 NEAR2 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR2 value\$2) AND	USPAT; US-PGPUB;	2003/05/03 18:13
		@ad<20010412) and "first keyword"	EPO; JPO;	·
-	6	receiv\$3 NEAR2 table AND (identification ADJ2 field or ID)	DERWENT USPAT;	2003/05/03 18:13
		AND (("key word" OR keyword) NEAR2 value\$2) AND	US-PGPUB	2003/03/03 16.13
,		@ad<20010412	EPO; JPO; DERWENT	
-	1	receiv\$3 NEAR10 table AND (identification or ID) WITH	USPAT;	2003/05/03 18:17
		"multiple value" AND @ad<20010412	US-PGPUB; EPO; JPO;	
_		reach de Ale Ado Alla AND (1)	DERWENT	
	1	receiv\$3 NEAR2 table AND (identification or ID) WITH "multiple value" AND @ad<20010412	USPAT; US-PGPUB;	2003/05/03 18:17
			EPO; JPO;	
-	11	("5204958" "5440732" "5551027" "5899988" "5960194"	DERWENT USPAT	2003/05/03 18:21
		"5991771" "6014656" "6026406" "6092061" "6249784"	33.71	2003/03/03 16.21
-	35	"6278992").PN. "table definition" same field\$2 same value\$2 and	USPAT;	2003/05/04 19:15
		@ad<20010412	US-PGPUB;	2000/00/04 19.10
			EPO; JPO; DERWENT	
-	2	"table definition" same field\$2 and "first values" and "second	USPAT;	2003/05/04 19:10
		value" and @ad<20010412	US-PGPUB; EPO; JPO;	·
_		/"CDEEE20" L HO444004" L "COCCOCCO"	DERWENT	
-		("6055538" "6144961" "6252858").PN. 6446074.URPN.	USPAT USPAT	2003/05/04 19:19 2003/05/04 19:21
-	10	("5133068" "5745896" "5752018" "5758144" "5873079"	USPAT	2003/05/04 19:21
•		"5889934" "5960430" "6026410" "6032132" "6128294").PN.		
-	7	("5499359" "5553218" "5561793" "5566330" "5603025"	USPAT	2003/05/04 19:33
-	0	"5615367" "5619688").PN. "table definition" SAME (identification or ID) SAME (("key	USPAT;	2003/05/06 44:55
		word" OR keyword) NEAR5 value\$2) and @ad<20010412	US-PGPUB;	2003/05/06 14:55
			EPO; JPO; DERWENT	
	·		DELLANEIAI	

	1 14	Market and the second s		
-	14	"table definition" and (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 15:18
- -	4 82	("3585605" "3955180" "4370709" "4727480").PN. (identification or ID) SAME (("key word" OR keyword) NEAR5	USPAT	2003/05/06 15:10 2003/05/06 15:25
		value\$2) and @ad<20010412	US-PGPUB; EPO; JPO; DERWENT	2003/03/06 15:25
-	64	Table SAME (identification or ID) SAME (("key word" OR keyword) SAME value\$2) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 15:26
-	24	Table SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:08
-	13	("4719571" "4760606" "4958284" "5168533" "5201047" "5355497" "5367672" "5428727" "5463773" "5508912" "5519865" "5581752" "5590317").PN.	USPAT	2003/05/06 15:35
-	17	(database! OR database\$2) SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 15:40
-	0	defintion same table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:15
-	0	defintion and table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:15
-	0	defintion and table SAME (identification or ID) and (("key word" OR keyword) same value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:15
-	1	table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:17
•	22	Table SAME (identification or ID) and (("key word" OR keyword) and value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/06 17:20
-		("5481703" "5627979" "5832496" "5870746" "5918232" "6026398" "6061515" "6076091" "6243713" "6138121" "6263335").PN.	USPAT	2003/05/06 17:30
-		("5295256" "5305389" "5359724" "5375237" "5421012" "5459860" "5499180" "5537591" "5537633" "5553218" "5557787" "5560005" "5564046" "5729730").PN.	USPAT	2003/05/06 17:58
	5	("5093911" "5136716" "5317742" "5408619" "5426747").PN.	USPAT	2003/05/07 17:53